



COMARTEX
Depuis
1980

Tarifs outils Pierres Naturelles



- fraisages
- sculptures
- gravures




COMARTEX
Depuis
1980


Outils en diamant électrodéposé pour pierres naturelles - monture 1/2 gas




Body




1



2



3




ADI Code	Description	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB23152	Body 20x15 M10 Female	A1/2"Gas	6.000-7.000	150-300	3-4	219
PB23153	(1) 1V1W EL 17x25	M10	6.000-7.000	150-300	3-4	112
PB23162	(2) 1T1W EL 17x25 R=7,5	M10	6.000-7.000	150-300	3-4	112
PB23337	(3) 1E1W EL 17x42 R=4,1	M10	6.000-7.000	150-300	3-4	171



Adaptor



1



Adattatore



ADI Code	Description	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
SL02103	Adaptor Bore 6mm	A1/2"Gas	-	-	-	60
PB23105	(1) 1K1W EL 4x36	Shaft 6mm	7.000-8.000	150-300	3	70



Body -Corpo




1




ADI Code	Description	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB23159	Body 30x32 M10	A1/2"Gas	6.000-7.000	150-300	3-4	237
PB23158	(1) 1V1W EL 23x12,5	M16	6.000-7.000	150-300	3-4	112

Outils en diamant électrodéposé pour pierres naturelles - monture 1/2 gas



ADI CODE	DIMENSION [DxL]	TYPE	RPM	FEED [mm/min]	Price [€] Euro
PB25261	12x35	A	5.500-6.500	100-300	84
PB25008	16x35	B	5.500	400-600	88
PB25026	16x45	C	5.500	400-600	97
PB25002	20x65	D	5.200	300-450	121
PB25003	20x110		5.000	200-350	168

Outils en diamant fixation Vaccum pour pierres naturelles - monture 1/2 gas




ADI CODE	DIMENSION [DxL]	TYPE	RPM	FEED [mm/min]	Price [€] Euro
PB52092	10x35	A	5.500-6.500	100-300	84
PB52004	16x35	B	5.500	400-600	88
PB52005	16x45	C	5.500	400-600	97
PB52006	20x65	D	5.200	300-450	121
PB52111	20x110	E	5.000	200-350	168

électrodéposé pour marbres - filet 1/2 gas à gauche



ADI CODE	DIMENSION [DxL]	RPM	FEED [mm/min]	Price [€] Euro
PB25233	16X45	5.500	400-600	155

diamant vaccum pour marbres - filet 1/2 gas à gauche



ADI CODE	DIMENSION [DxL]	TYPE	RPM	FEED [mm/min]	Price [€] Euro
PB52145	16x45	A	5.500	400-600	109
PB52134	20x65	B	5.200	300-450	133
PB52091	20x110	C	5.000	200-350	180



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles - monture 1/2 gas

1/2" gas

Body



1

M12



ADI Code	Description	RPM	FEED [mm/min]	Price [€] Euro
PB25223	Body 1A1W Ø 20x20 LU=100	-	-	171
PB25153	(1) 1U1W Ø20x20	6.000-7.000	200-300	118

1/2" gas

Body



1

M14




ADI Code	Description	RPM	FEED [mm/min]	Price [€] Euro
PB25285	Body 1A1W 25x20 LU=100	-	-	196
PB25286	(1) 1U1W Ø 25x20	5.000-6.000	200-300	140




COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles - monture 1/2 gas



ADI Code	Description	RPM	FEED [mm/min]	Price [€] Euro
PB52043	1A1W Ø 45X30	5.000-6.000	400-800	240
PB52113	1A1W Ø 32X32	5.000-6.000	500-1.000	190

EXTENSION FLANGE - 1/2" GAS
PROLUNGA FLANGIATA - 1/2" GAS



170

Code	Description	Price [€] Euro
SL02057	FLANGE 1/2"GAS	228



ø28



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles



ADI Code	Description	attache	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB23214	1U1W EL D. 4x12	queue10	8.000-10.000	150-300	1-2 Max	40
PB23215	1U1W EL D. 5x12	Shaft 10	8.000-10.000	150-300	1-2 Max	43
PB23216	1U1W EL D. 6x12	Shaft 10	8.000-10.000	150-300	1-2 Max	47
PB23217	1U1W EL D. 8x12(*)	Shaft 10	8.000-10.000	150-300	1-2 Max	63
PB23218	1U1W EL D.10x12(*)	Shaft 10	7.000-8.000	150-300	1-2 Max	69
PB23219	1U1W EL D.12x12(*)	Shaft 10	7.000-8.000	150-300	1-2 Max	78
PB23220	1U1W EL D.15x12(*)	Shaft 10	7.000-8.000	150-300	1-2 Max	90
PB23221	1U1W EL D.18x12(*)	Shaft 10	6.000-7.000	150-300	1-2 Max	100
PB23222	1U1W EL D.20x12(*)	Shaft 10	6.000-7.000	150-300	1-2 Max	109
PB23338	1U1W EL D.11x30(*) L=100	Shaft 10	7.000-8.000	150-300	1-2 Max	108
PB23339	1U1W EL D.11x35(*) L=100	Shaft 10	7.000-8.000	150-300	1-2 Max	108
PB23340	1K1W EL D.4/9x35 L=110	Shaft 8	8.000-10.000	150-300	1-2 Max	50
PB23341	1K1W EL D.5/10x35 L=110	Shaft 10	8.000-10.000	150-300	1-2 Max	50
PB23342	1K1W EL D.5/10x35 for Granite L=110	Shaft 10	8.000-10.000	150-300	1-2 Max	56

(*) arrosage intérieur



ADI Code	Description	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB23343	1K1W EL D.10 - 90°	Shaft 10	7.000-8.000	150-300	1-2 Max	37
PB23344	1K1W EL D.12 - 90° (*)	Shaft 10	7.000-8.000	150-300	1-2 Max	76



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles



**Body
Corpo**



1



2

ADI Code	Description	RPM	FEED [mm/min]	Fitting	Price [€]
PB25223	Body 1A1W Ø20x20 LU=100	-	-	1/2" Gas	171
PB25153	(1) 1U1W Ø 20x20	6.000-7.000	200-300	M12	118
PB25163	(2) 1F1W Ø 20x20	6.000-7.000	200-300	M12	138



**Body
Corpo**



1



2

ADI Code	Description	RPM	FEED [mm/min]	Fitting	Price [€]
PB25285	Body 1A1W Ø 25x20 LU=100	-	-	1/2" Gas	196
PB25286	(1) 1U1W Ø 25x20	5.000-6.000	200-300	M14	140
PB25287	(2) 1F1W Ø 25x20	5.000-6.000	200-300	M14	160



**Body
Corpo**



1



2

ADI Code	Description	RPM	FEED [mm/min]	Fitting	Price [€]
PB25291	Steel Body Ø 30x20 LU=100	-	-	1/2" Gas	105
PB25289	(1) 1U1W Ø 30x20	5.000-5.500	200-300	M14	162
PB25290	(2) 1F1W Ø 30x20	5.000-5.500	200-300	M14	182



COMARTEX
Depuis
1980



1/2" Gas

**Outils en diamant fixation Vacuum pour
pierres naturelles - monture 1/2 gas**

<i>Code</i>	<i>Dimensions</i> [mm]	RPM [mm/min.]	Feeding Speed [mm/min]	<i>Price</i> [€] Euro
PB52041	Φ30X30 Radius 15	5.000-6.000	400-800	178



1/2" Gas

<i>Code</i>	<i>Dimensions</i> [mm]	RPM [mm/min.]	Feeding Speed [mm/min]	<i>Price</i> [€] Euro
PB52106	Φ40X40 Radius 20	5.000-6.000	400-800	237




1/2" Gas

<i>Code</i>	<i>Dimensions</i> [mm]	RPM [mm/min.]	Feeding Speed [mm/min]	<i>Price</i> [€] Euro
PB52127	Φ50X40 Radius 25	5.000-6.000	400-800	287



COMARTEX
Depuis
1980


Outils en diamant électrodéposé pour pierres naturelles - monture 1/2 gas



Code	Dimensions [mm]	Position	Stock Removal [mm]	RPM [mm/min.]	Feeding Speed [mm/min]	Price [€] Euro
PB23320	Φ30x20 R=15	1 (D602)	<i>to shape</i>	5.000-6.000	400-800	260
PB23321		2 (D107)	0,5 - 0,2		1.000-2.000	215
PB23322	Φ40x25 R=20	1 (D602)	<i>to shape</i>	5.000-6.000	400-800	325
PB23323		2 (D107)	0,5 - 0,2		1.000-2.000	260
PB23324	Φ50x30 R=25	1 (D602)	<i>to shape</i>	5.000-6.000	400-800	410
PB23325		2 (D107)	0,5 - 0,2		1.000-2.000	290
PB23326	Φ60x35 R=30	1 (D602)	<i>to shape</i>	5.000-6.000	400-800	500
PB23327		2 (D107)	0,5 - 0,2		1.000-2.000	330



Outils en diamant fritté pour Granits - monture 1/2 gas



<i>Code</i>	<i>Dimensions</i> [mm]	<i>Position</i>	<i>Stock Removal</i> [mm]	RPM [mm/min.]	Feeding Speed [mm/min]	Price [€] Euro
PB30161	Φ30x20 R=15	1	<i>to shape</i>	5.000-5.500	200-400	270
PB30162		2	0,3 - 0,2		600-800	270
PB30163	Φ40x25 R=20	1	<i>to shape</i>	5.000-5.500	200-400	340
PB30164		2	0,3 - 0,2		600-800	340
PB30165	Φ50x30 R=25	1	<i>to shape</i>	4.500-5.000	200-400	400
PB30166		2	0,3 - 0,2		600-800	400
PB30167	Φ60x35 R=30	1	<i>to shape</i>	4.500-5.000	200-400	450
PB30168		2	0,3 - 0,2		600-800	450

* needed 9 pieces, - necessari 9 pezzi



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles - montage 1/2 gas



Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
A	PB29083	Φ87x20 (3+3)	Φ50 mm	5.000-6.000	600-1.200	1-5 Max	202
B	PB29015	Φ50x10(3 Holes)	1/2" Gas	-	-		57
C	SL01050	Φ50x3 (3 Holes)	Φ35 mm	-	-		54
D	PB29727	74 PLATE	Φ50 mm	5.000-6.000	600-1.200	1-5 Max	250



Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
E	PB29728	Φ45x20	1/2" Gas	6.500-7.500	600-1.200	1-5 Max	281
F	PB29400	Φ50x20 (3+3)	Φ14mm	6.000-7.000	600-1.200	1-5 Max	180
G	PB29579	Φ50x20 (2+2)	Φ10mm	6.000-7.000	600-1.200	1-5 Max	180
H	PB29618	Φ50x22 2 Holes	Φ10mm	6.000-7.000	600-1.200	1-5 Max	361
I	SL02358	Φ14x4 (3 Holes)	1/2" Gas	-	-	-	57
L	SL02613	Φ10x4 (2 Holes)	1/2" Gas	-	-	-	57



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles

PB23286



PB23287

5x60



PB23042

6x60



PB23043

8x60



PB23044

10x60



PB23045

12x60



PB23018

16x60



PB23293

3x15x60



PB23036

4x15x60



PB23112

5x15x60



PB23016

6x12x60



PB23294



PB23289

4x12x60



PB23290

5x12x60



PB23037

6x12x60



PB23059

8x12x60



PB23113

10x12x60



PB23114

12x12x60



PB23019

16,7x25x60



PB23032

8x20x60



PB23017

10x25x60



PB23012

12x30x65





COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles

ADI Code	Description	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	1 Pcs Price [€]	5 Pcs Price [€]	10 Pcs Price [€]
PB23286	1R1W EL 4x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,1	16,4	14,6
PB23287	1R1W EL 5x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23042	1R1W EL 6x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23043	1R1W EL 8x60	Shaft 6	8.000-10.000	150-300	3 max	22,5	19,3	17,4
PB23044	1R1W EL 10x60	Shaft 6	7.000-8.000	150-300	3 max	25,7	22,1	19,6
PB23045	1R1W EL 12x60	Shaft 6	7.000-8.000	150-300	3 max	30,1	25,8	22,9
PB23018	1R1W EL 16x60	Shaft 6	6.000-7.000	150-300	3 max	38,6	33,1	29,7
PB23293	1F1W EL 3x15x60 R=1,5	Shaft 6	8.000-10.000	150-300	1-2 max	19,1	16,4	14,6
PB23036	1F1W EL 4x15x60 R=2,0	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23112	1F1W EL 5x15x60 R=2,5	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23016	1F1W EL 6x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	22,5	19,3	17,4
PB23294	1U1W EL 3x12x60	Shaft 6	8.000-10.000	150-300	1 max	19,9	17,1	15,1
PB23289	1U1W EL 4x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23290	1U1W EL 5x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23037	1U1W EL 6x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	20,7	17,8	15,8
PB23059	1U1W EL 8x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	22,5	19,3	17,4
PB23113	1U1W EL 10x12x60	Shaft 6	7.000-8.000	150-300	3 max	28,5	24,4	21,9
PB23114	1U1W EL 12x12x60	Shaft 6	7.000-8.000	150-300	3 max	29,0	25,2	22,4
PB23019	1A1PW EL 16,7x25x60	Shaft 6	6.000-7.000	150-300	3 max	51,8	44,7	39,9
PB23032	1U1W EL 8x20x60	Shaft 6	8.000-10.000	150-300	1-2 max	31,0	26,6	23,7
PB23017	1U1W EL 10x25x60	Shaft 6	7.000-8.000	150-300	3 max	38,6	33,1	29,7
PB23012	1U1W EL 12x30x65	Shaft 6	7.000-8.000	150-300	3 max	51,8	44,7	39,9



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles

PB23115



PB23103

6,5x30x65



PB23104

9x36x65



PB23038

5x15x60



PB23015

6x12x60



PB23118

9x36x65



PB23025

6x14x60



PB23026

8x17x60



PB23039

10x20x60



PB23100

12x22x60



PB23033



PB23040

8x7x60



PB23116

10x8,5x60



PB23117

12x10,5x60



PB23070

16x14x60



PB23034

10x 5x60



PB23041

16x 8x60



PB23119

20x10x60






COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles

ADI Code	Description	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	1 Pcs Price [€]	5 Pcs Price [€]	10 Pcs Price [€]
PB23115	1F1W EL 4,5x30x65 R=2,75	Shaft 6	8.000-10.000	150-300	1 mm	23,5	20,0	17,9
PB23103	1F1W EL 6,5x15x65 R=3,75	Shaft 6	8.000-10.000	150-300	1-2 max	28,5	24,4	21,9
PB23104	1F1W EL 9x36x65 R=4,5	Shaft 6	8.000-10.000	150-300	3 max	41,1	35,5	31,5
PB23038	1K1W EL 5x15x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23015	1K1W EL 6x12x60	Shaft 6	8.000-10.000	150-300	1-2 max	19,9	17,1	15,1
PB23118	1K1W EL 9x36x65	Shaft 6	8.000-10.000	150-300	1-2 max	39,5	33,9	30,2
PB23025	1A1W DIS EL 6x14x60	Shaft 6	8.000-10.000	150-300	1-2 max	21,6	18,6	16,6
PB23026	1A1W DIS EL 8x17x60	Shaft 6	8.000-10.000	150-300	1-2 max	26,8	22,9	20,5
PB23039	1A1W DIS EL 10x20x60	Shaft 6	8.000-10.000	150-300	1-2 max	31,0	26,6	23,7
PB23100	1A1W DIS EL 12x22x60	Shaft 6	7.000-8.000	150-300	3 max	38,6	33,1	29,7
PB23033	1K1W EL 6x5,2x60 –60°	Shaft 6	7.000-8.000	150-300	3 max	19,1	16,4	14,6
PB23040	1K1W EL 8x7x60 –60°	Shaft 6	8.000-10.000	150-300	1-2 max	20,7	17,8	15,8
PB23116	1K1W EL 10x8,5x60 –60°	Shaft 6	7.000-8.000	150-300	3 max	22,5	19,3	17,4
PB23117	1K1W EL 12x10,5x60 –60°	Shaft 6	7.000-8.000	150-300	3 max	26,8	22,9	20,5
PB23070	1K1W EL 16x14x60 –60°	Shaft 6	7.000-8.000	150-300	3 max	36,8	31,7	28,2
PB23034	1K1W EL 10x5x60 –90°	Shaft 6	7.000-8.000	150-300	3 max	21,6	18,6	16,6
PB23041	1K1W EL 16x8x60 –90°	Shaft 6	7.000-8.000	150-300	3 max	31,0	26,6	23,7
PB23119	1K1W EL 20x10x60 –90°	Shaft 6	6.000-7.000	150-300	3 max	41,1	35,5	31,5




Outils en diamant électrodéposé pour pierres naturelles



ADI Code	Description	Composition	Price [€]
PB23271	KIT 1	PB23042 - PB23112-PB23103- PB23044-PB23059-PB23038- PF05050(+M2)-PF05075(+M2)	195



ADI Code	Description	Composition	Price [€]
PB23190	KIT 2	PB23042 - PB23043 - PB23038 - PB23116 - PB23044 - PB23019 - PB23104-PB23112 - PB23103 - PB23026	277



ADI Code	Description	Composition	Price [€]
PB23284	KIT 3	PB23042 - PB23036 - PB23103 - PB23025-PB23043-PB23037- PB23104-PB23039-PB23044- PB23113-PB23038-PB23116- PB23045-PB23019-PB23118	423



ADI Code	Description	Composition	Price [€]
PB23285	KIT 4	PB23042 - PB23059 - PB23104 - PB23040 - PB23043 - PB23113 - PB23038 - PB23116-PB23044 - PB23114 - PB23015 - PB23117 - PB23045 - PB23019 - PB23118 - PB23070-PB23018 - PB23032 - PB23025 - PB23034 - PB23036 - PB23017 - PB23026 - PB23041 PB23112 - PB23012 - PB23039 - PB23119 - PB23015 - PB23115 - PB23100 - PB23037-PB23103 - PB23033	934



COMARTEX
Depuis
1980

Outils en diamant électrodéposé pour pierres naturelles

PB23079

3x6



PB23081

4x7



PB23064

5x8



PB23083

6x12



PB23085

3x 7



PB23080

3x12



PB23082

3x12



PB23065

4x7



PB23084

5x12



PB23086

6x11



PB23087

6x60



PB23089

10x60



PB23091

6x12x60



PB23093

8x20x60



PB23095

5x15x60



PB23291

9x36x65



PB23088

6x30x65



PB23090

5x15x60



PB23092

10x8,5x60



PB23094

10x5x60



PB23096

8x17x60



PB23292

16x8x60






Outils en diamant électrodéposé

ADI Code	Description	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	1 Pcs Price [€]	5 Pcs Price [€]	10 Pcs Price [€]
PB23079	1R1W EL 3x6 R=1,5	Shaft 3	8.000-10.000	150-300	3 max	11,7	9,4	8,2
PB23081	1R1W EL 4x7 R=2,0	Shaft 3	8.000-10.000	150-300	3 max	11,7	9,4	8,2
PB23064	11V2W EL 5x8	Shaft 3	8.000-10.000	150-300	3 max	14,8	12,1	10,5
PB23083	1U1W EL 6x12	Shaft 3	8.000-10.000	150-300	3 max	20,1	16,6	14,3
PB23085	1F1W EL 3x7 R=1,5	Shaft 3	8.000-10.000	150-300	3 max	14,8	12,1	10,5
PB23080	1T1W EL 3x12	Shaft 3	8.000-10.000	150-300	3 max	14,8	12,1	10,5
PB23082	1K1W EL 3x12	Shaft 3	8.000-10.000	150-300	3 max	11,7	9,4	8,2
PB23065	1K1W EL 4x 7	Shaft 3	8.000-10.000	150-300	3 max	14,8	12,1	10,5
PB23084	1K1W EL 5x12	Shaft 3	8.000-10.000	150-300	3 max	15,6	12,9	11,1
PB23086	1T1W EL 6x11	Shaft 3	8.000-10.000	150-300	3 max	19,2	15,6	13,8
PB23087	1R1W EL 6x60 R=3,0	Shaft 6	8.000-10.000	150-300	3 max	24,6	21,3	18,9
PB23089	1R1W EL 10x60 R=5,0	Shaft 6	8.000-10.000	150-300	3 max	-	42,4	32,7
PB23091	1U1W EL 6x12x60	Shaft 6	8.000-10.000	150-300	3 max	27,4	23,9	21,2
PB23093	1U1W EL 8x20x60	Shaft 6	8.000-10.000	150-300	3 max	38,8	33,5	30,1
PB23095	1F1W EL 5x15x60 R=2,5	Shaft 6	8.000-10.000	150-300	3 max	27,4	23,9	21,2
PB23291	1K1W EL 9x36x65 R=2,5	Shaft 6	8.000-10.000	150-300	3 max	48,9	42,4	37,8
PB23088	1F1W EL 6x30x65 R=3,0	Shaft 6	8.000-10.000	150-300	3 max	39,6	34,5	30,6
PB23090	1K1W EL 5x15x60	Shaft 6	8.000-10.000	150-300	3 max	24,6	21,3	18,9
PB23092	1K1W EL 10x10,5x60	Shaft 6	8.000-10.000	150-300	3 max	30,3	26,2	23,3
PB23094	1K1W EL 10x5x60	Shaft 6	8.000-10.000	150-300	3 max	24,6	21,3	18,9
PB23096	1A1W DIS EL 8x17x60	Shaft 6	8.000-10.000	150-300	3 max	32,3	28,1	24,9
PB23292	1K1W EL 16x 8x60 -90°	Shaft 6	8.000-10.000	150-300	3 max	36,7	31,8	28,4




COMARTEX
Depuis
1980

Outils en **PCD**




ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29505	Widia D.10 - 36°	8.000 10.000	150-250	0-3 Max	22
PG29504	Widia D.10 - 60°				22
PG29499	Widia D.10 - 90°				22
PG29512	Widia D.10 - 120°				22

Fresa PCD per scrittura su **Marmo** e **Granito**



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB35009	PCD D.10 - 36°	7.000 8.000	150-250	0-3 Max	120
PB35002	PCD D.10 - 70°				95
PB35001	PCD D.10 - 90°				95
PB35004	PCD D.10 - 120°				95

Fresa sinterizzata per scrittura su **Granito**




ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG01808	1A1W D.8-60° DIS. ST.10	7.000	150-250	Max 3	21
PG01810	1A1W D.10-60° DIS. ST.10	8.000			24

Adattatori vedi pagina nr. 310



COMARTEX
Depuis
1980

outils en **Métal Dur**



commande minimum = par 2 unités

ADI CODE	DESCRIPTION	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB36001	CONICAL BIT D.3x30 R=1,5 A=1/2" GAS	3.000 4.000	150-300	3 Max	155 (*)
PB36002	CONICAL BIT D.3x30 R=1,5 A=1/2" GAS				188 (*)
PB36003	CONICAL BIT D.5x30 R=2,5 A=1/2" GAS				155
PB36004	CONICAL BIT D.5x30 R=2,5 A=1/2" GAS				189 (*)
PB36005	CONICAL BIT D.8x30 R=4,0 A=1/2" GAS				163
PB36006	CONICAL BIT D.8x30 R=4,0 A=1/2" GAS				198 (*)
PB36007	CONICAL BIT D.3x50 R=1,5 A=1/2" GAS				305
PB36008	CONICAL BIT D.3x50 R=1,5 A=1/2" GAS				351
PB36009	CONICAL BIT D.5x50 R=2,5 A=1/2" GAS				305
PB36010	CONICAL BIT D.5x50 R=2,5 A=1/2" GAS				351
PB36011	CONICAL BIT D.8x50 R=4,0 A=1/2" GAS				316
PB36012	CONICAL BIT D.8x50 R=4,0 A=1/2" GAS				370


(*) Type standard at Stock

(*) Tipo standard a magazzino



COMARTEX
Depuis
1980

outils en **Métal Dur**



Type	ADI CODE	D [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
A	PB36018	Conical Bit Ø18,9x120 (radius 1,5mm) A=1/2" Gas	3.000 4.000	150-300	3 Max	594
A	PB36019	Conical Bit Ø18,9x120 (radius 2,5mm) A=1/2" Gas				594
B	PB36020	Conical Bit Ø20x100 LT=175 mm A=1/2" Gas				720
C	PB36021	Conical Bit Ø3x50 (Radius=1,5mm) LU100 LT=170 A=1/2" Gas				554
C	PB36022	Conical Bit Ø5x50 (Radius=2,5mm) LU100 LT=170 A=1/2" Gas				554
C	PB36023	Conical Bit Ø8x50 (Radius=4,0mm) LU100 LT=170 A=1/2" Gas				569
D	PB36024	Conical Bit Ø3x30 (Radius=1,5mm) LU110 LT=167 A=1/2" Gas				478
D	PB36025	Conical Bit Ø5x30 (Radius=2,5mm) LU110 LT=167 A=1/2" Gas				478
D	PB36026	Conical Bit Ø8x30 (Radius=4,0mm) LU110 LT=167 A=1/2" Gas				485
E	PB36027	FIntegral Bit with Internal Water Ø5 A=1/2" Gas				223



COMARTEX
Depuis
1980

outils en **Métal Dur**



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29506	Flat St.10	3.000 4.000	150-300	3 Max	30
PG29540	Flat St.10				37



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29507	R=10 St.10	3.000 4.000	150-300	3 Max	80
PG29541	R= 10 St.10				89
PG29508	R= 5 St.10				48
PG29542	R= 5 St.10				57



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29522	R=2,7 St.10	3.000 4.000	150-300	Max 3	57
PG29537	R=2,7 St.10				65
PG29538	R=4,0 St.10				122
PG29539	R=4,0 St.10				131

MINIMUM ORDER 5 PCS EACH.
ORDINE MINIMO 5 PEZZI PER TIPOLOGIA



outils en **Métal Dur**

MINIMUM ORDER 5 PCS EACH.
ORDINE MINIMO PER 5 PEZZI PER TIPOLOGIA



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29519	Conical 30° Flat 3	3.000 4.000	150-300	3 Max	31
PG29534	Conical 30° Flat 3				40
PG29520	Conical 30° Flat 2				31
PG29524	Conical 30° Flat 2				40
PG29531	Conical 30° Flat 1,5				31
PG29525	Conical 30° Flat 1,5				40
PG29521	Conical 30° Flat 1				31
PG29526	Conical 30° Flat 1				40
PG29532	Conical 30° Flat 0,5				31
PG09535	Conical 30° Flat 0,5				40
PG29533	Conical 30° Flat 0				31
PG09536	Conical 30° Flat 0				40



ADI CODE	Dimension [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PG29523	Rounded R=3 30° St.10	3.000 4.000	150-300	3 Max	37
PG29543	Rounded R=3 30° St.10 With Water				43
PG29544	Rounded R=2 30° St.10				37
PG29545	Rounded R=2 30° St.10 With Water				43
PG29546	Rounded R=1,5 30° St.10				37
PG29547	Rounded R=1,5 30° St.10 With Water				43
PG29548	Rounded R=1 30° St.10				37
PG29549	Rounded R=1 30° St.10 With Water				43
PG29550	Rounded R=0,5 30° St.10				37
PG29551	Rounded R=0,5 30° St.10 With Water				43



COMARTEX
Depuis
1980


outils en **Métal Dur**




PB36015




PB36032



PB36033



PB36016



PB36036



PB36014



PB36034



PB36035


Conical Hard Metal Finger Bit

ADI Code	Description	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB36015	BIT D.12X28 R=1.0 CONICAL A=1/2"GAS	3.500	150 - 300	Max 3	92
PB36032	BIT D.12X28 R=3.0 CONICAL A=1/2"GAS				97
PB36033	BIT D.16X35 R=2.5 CONICAL A=1/2"GAS				143
PB36016	BIT D.20X40 R=5.5 CONICAL A=1/2"GAS				195
PB36036	BIT D.20X40 R=2.5 CONICAL A=1/2"GAS				195
PB36014	BIT D.12X50 R=2.5 CONICAL A=1/2"GAS				235
PB36034	BIT D.16X80 R=2.5 CONICAL A=1/2"GAS				416
PB36035	BIT D.20X102 R=4.0 CONICAL A=1/2"GAS				566



COMARTEX
Depuis
1980


outils en **Métal Dur**



Cilindrcal Shape



ADI Code	D	H	L	S	Price [euro]
PB36535	4	14	50	6	26
PB36555	6	18	50	6	26
PB36536	8	18	63	6	31
PB36514	10	20	65	6	35
PB36537	12	25	70	6	46
PB36557	16	25	70	6	64
PB36538	16	25	70	8	64
PB36539	20	25	70	6	101
PB36540	20	25	70	8	101



Cilindrcal Shape with End Cut




ADI Code	D	H	L	S	Price [euro]
PB36553	4	14	50	6	29
PB36509	6	18	50	6	29
PB36554	8	18	63	6	34
PB36510	10	20	65	6	39
PB36556	12	25	70	6	50
PB36511	16	25	70	6	71
PB36558	16	25	70	8	71
PB36559	20	25	70	6	111
PB36560	20	25	70	8	111



COMARTEX
Depuis
1980


outils en **Métal Dur**



Cilindrcal With Radius End Shape



ADI Code	D	H	L	S	Price [euro]
PB36573	4	14	50	6	27
PB36574	6	18	50	6	27
PB36575	8	20	65	6	35
PB36515	10	20	65	6	41
PB36576	12	25	70	6	55
PB36577	16	25	70	6	73
PB36578	16	25	70	8	73
PB36579	20	25	70	6	114
PB36580	20	25	70	8	114



Conical With Radius End Shape




ADI Code	D	H	L	S	α	Price [euro]
PB36589	4	14	50	6	14°	30
PB36502	6	20	50	6	14°	30
PB36503	8	24	69	6	14°	39
PB36504	10	28	73	6	14°	48
PB36590	12	30	75	6	14°	58
PB36591	16	38	83	6	14°	87
PB36592	16	38	83	8	14°	87
PB36593	20	42	87	6	14°	138
PB36594	20	42	87	8	14°	138



COMARTEX
Depuis
1980


outils en **Métal Dur**



Ogiva With Radius End Shape



ADI Code	D	H	L	S	Price [€uro]
PB36619	4	14	50	6	32
PB36620	6	18	50	6	32
PB36621	8	16	61	6	34
PB36516	10	20	65	6	40
PB36622	12	25	70	6	48
PB36623	16	28	73	6	69
PB36624	16	28	73	8	69
PB36625	20	35	80	6	130
PB36626	20	35	80	8	130



Oval With Radius End Shape




ADI Code	D	H	L	S	Price [€uro]
PB36636	4	6	50	6	29
PB36637	6	9	50	6	29
PB36638	8	14	59	6	33
PB36520	10	16	61	6	37
PB36639	12	21	66	6	47
PB36640	16	25	70	6	68
PB36641	16	25	70	8	68
PB36642	20	25	70	6	108
PB36643	20	25	70	8	108



COMARTEX
Depuis
1980


outils en **Métal Dur**



Spherical Shape



ADI Code	D	H	L	S	Price [euro]
PB36672	4	3.5	50	6	28
PB36673	6	5	50	6	28
PB36674	8	7	52	6	27
PB36521	10	9	54	6	32
PB36675	12	11	56	6	38
PB36676	16	15	60	6	54
PB36677	16	15	60	8	54
PB36678	20	18	63	6	85
PB36679	20	18	63	8	85



Inverted Cone Shape With End Cut




ADI Code	D	H	L	S	α	Price [euro]
PB36705	4	4	50	6	15°	29
PB36706	6	6	50	6	15°	29
PB36707	8	8	53	6	15°	27
PB36708	10	10	55	6	15°	34
PB36709	12	12	57	6	15°	40
PB36710	16	16	61	6	15°	51
PB36711	20	20	65	6	15°	83
PB36712	20	20	65	8	15°	83



COMARTEX
Depuis
1980


outils en **Métal Dur**



90° Conical Shape



ADI Code	D	L	S	Price [euro]
PB36735	4	50	6	24
PB36736	6	50	6	24
PB36737	8	56	6	22
PB36519	10	57	6	25
PB36738	12	60	6	29
PB36739	16	64	6	35
PB36740	20	68	6	53
PB36741	20	68	8	53



Conical Hard Metal Finger Bit

ADI Code	D	Connection	R [mm]	L [mm]	Price [euro]
PB36037	20	M12	1.5	30	230
PB36038			1.5	50	316
PB36039			2.5	30	230
PB36040			2.5	50	316


Adaptors

ADI Code	LU	Connection	LU [mm]	Price [euro]
SL02219	LU55	A=1/2" Gas	55	28
SL02376			90	40
SL02349	LU90		120	47
SL02377	LU120		150	52
SL02334	LU150		200	78




COMARTEX
Depuis
1980

outils en **diamant fritté**



ADI CODE	d1 [mm]	D2 [mm]	W [mm]	L [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB27221	6	11	25	115	7000 8000	150-300	3	97
PB27222	8	13	25	115				110
PB27223	14	19	25	115			3-4	166
PB27224	15	20	25	115				171
PB27225	25	30	25	115				261




ADI CODE	D [mm]	W [mm]	L [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB27226	16	25	115	7000	150-300	3-4	141



COMARTEX
Depuis
1980

outils en diamant fritté




ADI CODE	D [mm]	W [mm]	L [mm]	Shaft [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PF01018	15	12	57	6	8.000 10.000	150-300	3	63
PF01019	15	12	58				3	63
PF01020	20	3	48				1,5-3	63
PF01021	15	13	58				3	63
PF01023	15	13	58				3	63
PF01098	15	25	70				3	94
PF01128	10	25	70				3	77
PF01135	20	19,5	64,5				3	86
PF01134	12	11,2	56				3	77
PF01133	10	25	70				3	69
PF01132	8	25	70				3	69
PF01082	40	5	50				3	82




COMARTEX
Depuis
1980

outils en PCD pour granits



ADI CODE	D [mm]	R [mm]	L [mm]	L1 [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB35201	10	1,5	65	13,5	7.000 8.000	180 250	0-3 Max	175
PB35202	10	2,5	65	12,5			0-3 Max	175
PB35203	10	3,5	65	15			0-3 Max	200



ADI CODE	DESCRIPTION	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€]
PB35110	PCD CONICAL BIT D.3x30 R=1,5 A=1/2"	7.000 8.000	180 250	0-3 Max	600
PB35111	PCD CONICAL BIT D.5x30 R=2,5 A=1/2"			0-3 Max	600
PB35112	PCD CONICAL BIT D.8x30 R=4,0 A=1/2"			0-3 Max	640



COMARTEX
Depuis
1980

tarifs


outils

évier massifs



COMARTEX
Depuis
1980

outils diamant fritté pour pierres et marbres




D

ADI CODE	TYPE	D [mm]	d [mm]	L [mm]	Grit size	RPM	FEED [mm/min]	Price [€] Euro
PG18280	VACUUM BRAZED	80	74	200	D602	1.000-1.500	50-100	176

SEGMENTED SINTERED CORE DRILLS FOR GRANITE

FORETTO SINTERIZZATO A SETTORI PER GRANITO



D

ADI CODE	D [mm]	d [mm]	L [mm]	Wall Thickness [mm]	RPM	FEED [mm/min]	Price [€] Euro
PG11078	80	74	200	4	800-1.200	40-60	157



COMARTEX
Depuis
1980

meule pour éviers massifs pierres et marbres



A



B



C



D



F

Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
A	PB29525	Φ54x25x7	Φ14 (3+3)	5.000	500	1-5 Max	130
B	PB29532	Φ54x25x7	Φ10 (2+2)	5.000	500	1-5 Max	130
C	PB29448	Φ91x30x7	Φ50 (3+3)	4.500	800	1-5 Max	199
D	PB29537	Φ150x25x7	Φ50 (3+3)	4.000	500	1-5 Max	248
E	PB29015	Φ50x10(3 Holes)	1/2" Gas	-	-		57
F	SL01050	Φ50x3 (3 Holes)	Φ35	-	-		54

meule pour éviers massifs granits



A



B



C



D




F

Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
A	PB29470	Φ54x25x7	Φ14 (3+3)	5.000	400	1 - 5 Max	142
B	PB29531	Φ54x25x7	Φ10 (2+2)	5.000	400	1 - 5 Max	142
C	PB29443	Φ91x30x7	Φ50 (3+3)	4500	400-800	1 - 5 Max	185
D	PB29536	Φ150x25x7	Φ50 (3+3)	4.000	200-400	1 - 5 Max	260
E	PB29015	Φ50x10(3 Holes)	1/2" Gas	-	-	-	57
F	SL01050	Φ50x3 (3 Holes)	Φ35	-	-	-	54



COMARTEX
Depuis
1980



Type	ADI CODE	DIMENSION [mm]	Fitting	L [mm]	Price [€] Euro
G	SL01407	Φ77	Flange - 14 (3 Holes)	100	150
G	SL01408	Φ77	Flange - 14 (3 Holes)	200	230
G	SL01430	Φ77	Flange - 10 (2 Holes)	100	150
G	SL01431	Φ77	Flange - 10 (2 Holes)	200	230
H	SL02487	Φ34	M30 - 14 (3 Holes)	100	175
H	SL02489	Φ34	M30 - 14 (3 Holes)	200	200
H	SL02704	Φ34	M30 - 10 (2 Holes)	100	175
H	SL02705	Φ34	M30 - 10 (2 Holes)	200	200
I	SL01157	Φ74	Flange - Flange	100	160
I	SL01159	Φ74	Flange - Flange	200	200
L	SL01409	Φ74	M30 - Flange	100	175
L	SL01410	Φ74	M30 - Flange	200	300



COMARTEX
Depuis
1980

diamant vacuum pour pierres et marbres



A



B

Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
Coarse (A)	PB60003	85x60 R=25	35	4.000 5.000	800 1.500	Shape	507
Fine (B)	PB60027	85x60 R=25	35	4.000 5.000	1.000 2.000	0,2-0,5	384

diamant fritté pour granits



A




Type	ADI CODE	DIMENSION [DxL] [mm]	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
Coarse (A)	PB30085	85x60 R=25	35	4.000 4.500	600 1.000	1 To 5 Max	468
Fine (B)	PB30100	85x60 R=25	35	4.000 4.500	1.000 2.000	0,2-0,5	441



COMARTEX
Depuis
1980


diamant fritté pour granits



Type	ADI CODE	DIMENSION [DxL]	Fitting [mm]	RPM	FEED [mm/min]	Stock Removal [mm]	Price [€] Euro
Coarse (A)	PB30127	60x60 R=20	35	4.000 4.500	600 1.000	1 To 5 Max	450
Fine (B)	PB30128	60x60 R=20	35	4.000 4.500	1.000 2.000	0,2 - 0,5	425

Extension Fitting 35 mm - Flange


Prolunga attacco 35mm—Flangia



Code	Product details	Price [€] Euro
SL01411	Fitting 35mm L=160 Flange	250

Extension Fitting 35 mm - 1/2" GAS

Prolunga Attacco 35mm—1/2" GAS




Code	Product details	Price [€] Euro
SL01123	Fitting 35mm L= 90 - Fitting 1/2" Gas	186



COMARTEX
Depuis
1980

EXTENSION M30 - F= 1/2" GAS


PROLUNGHE M30—1/2"GAS



Code	Product details	Unit Price [€]
SL01184	A=M30 L=100mm F=1/2"G	110
SL01185	A=M30 L=150mm F=1/2"G	115
SL01186	A=M30 L=200mm F=1/2"G	125
SL01187	A=M30 L=300mm F=1/2"G	245




EXTENSION FLANGE - F= 1/2" GAS



Code	Product details	Unit Price [€]
SL02445	A=FLANGE L=100mm D38 F=1/2"G	151
SL02408	A=FLANGE L=150mm D38 F=1/2"G	182
SL02057	A=FLANGE L=170mm D28 F=1/2"G	228
SL02443	A=FLANGE L=200mm D38 F=1/2"G	230




EXTENSION FLANGE - FLANGE



Code	Product details	Unit Price [€]
SL01157	A=FLANGE L=100mm F=FLANGE	170
SL01158	A=FLANGE L=170mm F=FLANGE	195
SL01159	A=FLANGE L=200mm F=FLANGE	200
SL01160	A=FLANGE L=225mm F=FLANGE	303



EXTENSION 1/2" GAS



Code	Product details	Unit Price [€]
SL02208	A=1/2"G L=100 F=1/2"G	85
SL02343	A=1/2"G L=150 F=1/2"G	100
SL02382	A=1/2"G L=200 F=1/2"G	140
SL02217	A=1/2"G L=300 F=1/2"G	210






COMARTEX
Depuis
1980

- Adaptateurs



COMARTEX
Depuis
1980


Extension Flange - 14 (3 Holes) or 10 (2 Holes)



ADI CODE	DIMENSION [D]	Fitting	L	Price [€]
			[mm]	
SL01407	Φ14x4 (3 Holes)	Flange	100	155
SL01408	Φ14x4 (3 Holes)	Flange	200	230
SL01430	Φ10x4 (2 Holes)	Flange	100	150
SL01431	Φ10x4 (2 Holes)	Flange	200	230




Extension M30 - 14 (3 Holes) or 10 (2 Holes)



ADI CODE	DIMENSION [D]	Fitting	L	Price [€]
			[mm]	
SL02487	Φ14x4 (3 Holes)	M30	100	175
SL02489	Φ14x4 (3 Holes)	M30	200	200
SL02704	Φ10x4 (2 Holes)	M30	100	175
SL02705	Φ10x4 (2 Holes)	M30	200	200



Extension M30 - Flange




ADI CODE	DIMENSION [D]	Fitting	L	Price [€]
			[mm]	
SL01409	50x5	M30 - Flange	100	175
SL01410	50x5	M30 - Flange	200	300






COMARTEX
Depuis
1980




EXTENSION A=35 - Flange

Code	Product details	Unit Price [€]
SL01088	A=35 L=70 Flange	175
SL01095	A=35 L=160 Flange	255



EXTENSION A=35 - M30

Code	Product details	Unit Price [€]
SL01077	A=35 L=70 M30	155
SL01072	A=35 L=140 M30	255



EXTENSION A= 35 - A=1/2" Gas

Code	Product details	Unit Price [€]
SL01123	A= 35 L= 90 - A=1/2" Gas	186






COMARTEX
Depuis
1980

EXTENSION A=1/2" GAS - M12

Code	Product details	Unit Price [€]
SL02219	A=1/2" GAS—M12 L= 55	28
SL02376	A=1/2" GAS—M12 L= 90	50
SL02349	A=1/2" GAS—M12 L=120	55
SL02377	A=1/2" GAS—M12 L=150	105
SL02334	A=1/2" GAS—M12 L=200	140




EXTENSION A=1/2" GAS - M18

Code	Product details	Unit Price [€]
SL02518	A=1/2" GAS—M18 L= 90	83
SL02548	A=1/2" GAS—M18 L= 200	170


EXTENSION A=1/2" GAS - D.34

Code	Product details	Unit Price [€]
SL02358	A=1/2" Gas (L=12) - D.14x4+3 Holes	57
SL02479	A=1/2" Gas (L=60) - D.14x4+3 Holes	106
SL02399	A=1/2" Gas (L=90) - D.14x4+3 Holes	135
SL02392	A=1/2" Gas (L=150) - D.14x4+3 Holes	182
SL02613	A=1/2" Gas (L=12) - D.14x4+2 Holes	75




EXTENSION A=1/2" GAS - D.72

Code	Product details	Unit Price [€]
PB29015	A=1/2" GAS - D.50x10 + 3 Holes	57
SL02347	A=1/2" GAS D.50x10 (L= 90) + 3 Holes	182
SL02396	A=1/2" GAS D.50x10 (L=150) + 3 Holes	228
SL01056	A=1/2" GAS D.50x10 (L=45) + 3 Holes (Reversed)	150



EXTENSION F=35 - D.72

Code	Product details	Unit Price [€]
SL01050	F= 35 - D.50x3 +3 Holes	54





COMARTEX
Depuis
1980

ADAPTORS FOR FLAT POLISHING

Adattatore per Lucidanti superfici piane (OCTO)



Code	Product details	Machine	Unit Price [euro]
SL02595	D.35/20X40	THIBAUT	40

ADAPTORS



Code	Product details	Machine	Unit Price [euro]
SL02275	D.35/20X40	BREMBANA	40
SL02262	D.35/30X32	BREMBANA/RAVELLI	40
SL02288	D.35/22X32	INTERMAC	40
SL02261	D.35/25X32	MARMOMECCANICA	40

ADAPTORS FOR ISO CONE WITH 1/2" GAS




Code	Product details	Unit Price [€]
SL01055	A=1/2" GAS D.22x39	75
SL01033	A=1/2" GAS D.20x39	75
SL02015	SPACER ADAPTOR FOR BAVELLONI	12






COMARTEX
Depuis
1980




EXTENSION A=1/2" GAS - M14

Code	Product details	Unit Price [€]
SL02264	A=1/2" GAS—M14 (A)	31
SL02496	A=1/2" GAS—M14 L= 100 (B)	85




EXTENSION A=1/2" GAS - Shaft 6mm

Code	Product details	Unit Price [€]
SL02103	A=1/2" GAS - L=42 Shaft 6mm	60




EXTENSION A=1/2" GAS - Different Shaft Connection

Code	Product details	Unit Price [€]
SL02005	A=1/2" GAS - Shaft 6mm	30
SL02002	A=1/2" GAS - Shaft 10mm	21



EXTENSION F=M14 - Shaft 10mm Connection

Code	Product details	Unit Price [€]
SL02014	ATTACCO F=M14 - F=10	65



EXTENSION Shaft 10mm - 1/2" Gas Connection Female

Code	Product details	Unit Price [€]
SL02008	Shaft 10 - 1/2" Gas Female	40





COMARTEX
Depuis
1980



Premium Adapter A=1/2GAS

ADI Code	Description	Price [€]
SL02231	ER 16 Adapter A=1/2"Gas	165
SL02656	ER 25 Adapter A=1/2"Gas	225
SL02500	ER 32 Adapter A=1/2"Gas	225

Complete of Key and Collets D.6 and D.10

Nut Replacement


ADI Code	Description	Price [€]
SL02333	Nut for ER 16	40
SL02657	Nut for ER 25	40
SL02563	Nut for ER 32	40

Special Key Replacement

ADI Code	Description	Price [€]
SL02352	Key for ER 16	40
SL02658	Key for ER 25	40
SL02607	Ket for ER 32	40



Collet Table



ADI Code	Type	L	D [mm]	d [mm]	Price [€]
PB29695	ER 16	27.5	16	2.50	40
PB29519	ER 16	27.5	16	3.00	40
PB29170	ER 16	27.5	16	6.00	40
PB29696	ER 16	27.5	16	8.00	40
PB29172	ER 16	27.5	16	10.00	40
PB29697	ER 20	31.5	20	2.50	40
PB29698	ER 20	31.5	20	3.00	40
PB29686	ER 20	31.5	20	6.00	40
PB29685	ER 20	31.5	20	8.00	40
PB29679	ER 20	31.5	20	10.00	40
PB29699	ER 25	34	25	2.50	40
PB29700	ER 25	34	25	3.00	40
PB29701	ER 25	34	25	6.00	40
PB29702	ER 25	34	25	8.00	40
PB29703	ER 25	34	25	10.00	40
PB29704	ER 32	40	32	2.50	40
PB29663	ER 32	40	32	3.00	40
PB29668	ER 32	40	32	6.00	40
PB29705	ER 32	40	32	8.00	40
PB29596	ER 32	40	32	10.00	40

For finger bit with Diameter 2.35 shaft we suggest to use collet of diameter 2.5mm